



Portable Sign & Label printer



Six Sigma and LEAN | Machine instructions | Equipment marking Cable and Wire marking | Warehouse labelling | Barcodes

Asset marking | Health and Safety

LOBO - Designed for where it's needed!

The LOBO is a new kind of labelling system. The keyboard is full sized – no small buttons to push, intuitive function keys – no complex menus, all in one supply cartridges – no messy, separate ribbon and tape, battery and mains power – use it anywhere, prints from 12 to 50mm – ideal for office and industrial applications. With over 1200 built in symbols and over 25 Industrial quality materials. From filing cabinets to high temperature pipe marking – No Problem. It even connects and prints from your PC – No Problem.











With the unique LOBO you can easily create all of the below labels!

























LOBO CASSETTE QUALITIES:

Premium Vinyl (PRE) - Premium vinyl for indoor and outdoor use, resists mild chemicals, water and UV light.

Hightack Polyester ESD (HPET) - High strength adhesive and high temperature - ideal for machine plates and equipment labels.

LN2 Poly TM (LPT) - Extreme low temperature - ideal for laboratory labelling.

Wire-Wraps (SLWW) - Self laminating cable wraps - perfect for cable ID - durable and colour coded.

Shrink Tubes (KR) - 3:1 shrink tubing - perfect for general cable identification.





MACHINE TAG ID: PL-0718001459



Failures? Call 444

Drawing number: AX13125008 Machine number: PL-0718



DANGER! HIGH VOLTAGE

. Smith **Director**










EMERGENCY EXIT

Turn service lock a full 360 degrees to de-activate door seals!

Call 099 455 366

CANTEEN

























ACCESSORIES (optional)





Art.nr.: DLL-SOFTCASE

Are you wondering whether this handy portable printer fits your needs? Sign up for the LOBO Try-It & Like-It program and you will get the chance to experience the LOBO for a period of 2 weeks!

Call us +31 (0)35 - 601 69 41 Or send us an email info@rebosystems.com



LOBO - In the work place and 'on the move'

The 'must have' labelling system designed for Industry, the office, warehouses and all facilities. Easy to use, packed with features, giving endless benefits and designed to be used anywhere by anyone. The LOBO is ideal for use in offices, for LEAN and Six Sigma programs, military, manufacturing, medical, petrochemical, maintenance (in-house and mobile) warehouses, shipping and off-shore, education and public buildings.



Printer specifications

Printing Method	Thermal Transfer
Resolution	203dpi
Speed	Max. 50,8mm/s (3ips)
Print Length	Max. 2540mm
Print Width	Max. 45,5mm
Dimensions	L 295mm x W 311mm x H 110mm
Weight	2,27kg
Memory	1920KB Flash ROM
Operation Interface	1x On/Off button / QWERTY keyboard
Connectivity	USB-B, SD-card
Agency Listing	RoHS, WEEE
Media Type	Continuous
Ribbon Type	Resin

Visit our comprehensive website to review the large range of material available! www.rebosystems.com





Rebo B.V.Beckeringhstraat 21
3762 EV Soest
Netherlands

© +31 (0)35 - 601 69 41

@ info@rebosystems.com

📜 sales@rebo.nl

www.rebosystems.com